



# Advanced, Easy Cloud-Based Access Control by Napco

## WHAT IS MVP® ACCESS?

**MVP EZ & MVP ACCESS** are the Napco Access Cloud-Based Access System Platform in basic and advanced levels: **MVP-EZ App-Only** or Hybrid w/ PC Browser, sharing the same database, hardware & flat-rate/door for seamless no-fuss upgrades.

**MVP Access™** delivering full-featured access control **without servers, IT delays, or complex infrastructure.**

- No on-prem PC or database required
- App-only or hybrid (cloud + local PC/server)
- Access from any browser or mobile device
- Ideal for SMBs — scalable to schools, campuses & enterprise

**From 1 door to thousands.  
From phone-only to full enterprise.**



## MVP EZ – Cloud Access Control for Small & Medium Businesses, Simplified



**MVP EZ is a cloud-based, app-only access control solution built for small and mid-sized businesses, for a couple doors and users, to many,** i.e., retail locations, medical and professional offices, small storage warehouses, SRTs or multi-tenant properties. MVP also lets dealers provide customized admin control—allowing customers to manage users, schedules, credentials, etc from their own smartphone or PC Browser. With MVP-EZ, there are no servers, no software and no PCs to install/maintain. Plus, the intuitive app experience matches how SMB owners already work, reducing training and support while enabling remote management anytime, anywhere. For Dealers and Locksmiths, MVP EZ delivers fast installs, easy upgrades and add-ons, and ongoing recurring revenue with minimal overhead. One super-affordable and job-winning, affordable single flat-rate per door (also easy to bid). And when customers outgrow app-only management, with more complex personnel, credential or door requirements, MVP EZ transitions seamlessly into MVP Access on the same cloud platform, no moving databases or changing hardware. *It's EZ.*



## MVP Access – Advanced Cloud Control for Larger & Multi-Site Systems



**MVP Access is the full-featured MVP Cloud access control platform designed for larger organizations, campuses, & multi-site enterprises—** including corporate offices, school districts, healthcare networks, manufacturing facilities, and global businesses. MVP Access offers fully customizable customer admin controls available both in the mobile app and through a powerful PC/browser interface. This flexibility supports advanced role-based permissions, centralized system management, detailed reporting, and scalable integrations across multiple locations. Customers can manage access the way

they prefer—on-site via a computer or remotely via the app—while maintaining complete control, especially in an emergency, such as lockdown, mustering etc. For Dealers and Locksmiths, MVP Access simplifies complex deployments, reduces service calls, and creates long-term value through a secure, scalable cloud platform, with more integrations, advance reports and scripting, etc, built to grow with demanding environments.



## Bluetooth-Only Options for Select Applications



### ILOCK APP FOR MVP

**Enduser Mobile App** — For local Bluetooth Door Access Only, unlocks door for authorized users. (Free Downloadable App from Apple/Google App Stores)



### MVP-LOCAL LINK

Enables Bluetooth unlocking & local data/firmware transfer, under certain conditions, between MVP Cloud & locks using a smartphone (online or offline).

# MVP Platform Advantages

## Why MVP® Access Is Different One Platform. Every Customer. Every Door.

NAPCO MVP Access™ is engineered as a complete ecosystem, not a collection of third-party parts. Unlike other cloud systems, MVP Access natively combines:

- Napco Cloud software
- Napco Access panels
- Napco Top-Rated, low-maintenance wireless locks

All designed to work together — reducing installation time, service issues, and long-term costs.



### ✓ Serve Every Market with One Ecosystem

- **SMB:** MVP EZ® — fast, app-only installs
  - **Growing Business:** Add doors, users & features anytime
  - **Enterprise:** MVP Access
- One system supports **1 door to thousands**, with no rip-and-replace as customers grow.



### ✓ Made to Work Together - From Under One Roof

- Panels, wireless locks & cloud software designed together
- **No** compatibility guessing
- **No** vendor finger-pointing
- **Lowest** Total Cost of Ownership  
(But, integrates with several popular video brands.)



### ✓ Predictable, Profitable Cloud Business Model

- **Low**, affordable Flat by-door monthly pricing
- **No** annual contracts required
- **Ideal** for managed access services
- **Revenue grows** as customers scale



### ✓ Faster Installs. Fewer Service Calls.

- **No** servers or OS maintenance
- **No** manual firmware updates
- **Remote** admin & troubleshooting
- **Fewer** truck rolls
- **Faster** ROI



### ✓ Avoid Traditional Access Control Pain Points

- Expensive server infrastructure
- Hardware & OS obsolescence
- Disruptive upgrade cycles
- Manual credential onboarding
- Legacy controllers with cybersecurity risk (i.e., rip out/replace)



### ✓ Napco Security Integration

- Streamlined security/access operations with MVP system, i.e, coordinated access/disarm credentials, shared admin-user privileges, controls, status, etc, when used with new or existing Gemini 3200/9600 or X255 Systems (consult WI)



### ✓ Choice Of Popular Video Integrations

- VMS integration (on-prem or hosted)
- Event-triggered video
- Choice of popular video brands: DWG, Milestone



### ✓ Advanced Cybersecurity

- Napco's own UL-Listed Network Operations Center (NY)
- SOC 2 audited cybersecure service
- Disaster failover redundancy (PA)
- U.S.-Based dedicated hosting — No global data hops, retail transaction interference or delays
- **Protects your customers and your liability exposure**

# Cloud-Ready Access Panels

## NA-Series Napco Access Panels Advantages

- **Installs Faster** — Smart economical 1- & 2-Door Access Controllers with more built-in features including Ethernet. No onsite node - Less to buy, less labor to deploy. Proven Napco Quality Manufacturing.
- **Handles More Users & ID Tech** — From 12K to 35K+ users with Prox, MiFare, Bluetooth, Biometric & Mobile/NFC credentials
- **Your Choice of Easy Remote Cloud Management** MVP EZ (app-only). MVP Access App/Browser (enterprise) Easy to use. Saves on training. Always updated – Saves truck rolls & PC/IT hassles.
- **More Built-In Power** — Dedicated REX, Door & Fire inputs + up to 2 relays. AES-128 Encryption. No AC? Use the POE option.
- **Keep the Doors & Elevators Accessible - Even Offline** — Napco Panels' intelligent local decision-making maintain more operations offline than other competitors- And automatically sync & buffer events once service is restored.
- **4-Hour UL/ETL Listed Backup** — Supports max reader load. Meets U.S. & Canadian requirements.
- **Lowest Total Cost of Ownership** — Lower equipment costs. Low Flat-Rate/Door monthly service. No added customer fees. No annual contract.

## NA-1 Single-Door Access Control Panel

### Smarter Access, One Door at a Time

- **Credential Capacity:** 12,500 -17,900 cardholders
- **Readers:** 1 Wiegand or OSDP reader
- **Inputs: 4 Inputs: 1 Door Position, 1 REX, 1 Dedicated Fire**
- **Onboard Relays:** 1 Door, 1 Door Relay @ 2A, 1 Console Relay @ 5A, 1 Wiegand (in-Reader)
- Onboard Ethernet
- **Transaction Buffer:** 625 events
- **Time Schedules:** 256
- **Access Groups:** 1,000
- **4Hr. Battery Backup** - 12V 4Ah Sealed-Lead Acid Battery (sold separately) for 4hrs standby power with max reader load
- Built-in relay contact overvoltage protection
- Optional module required used to enable PoE (Power Over Ethernet) #NA1POEBD1A
- **ETL Listed UL294**



### Features by Model Comparison:

MODELS	NA-1	NA-2
Access Doors	1	2
Door Relays (wet or dry)	1 @ 2 Amps	2 @ 2 Amps
Aux Relay	1 @ 2 Amps	1 @ 2 Amps
Wet Relays	✓	✓
Wiegand Reader Connectors	1 (In-Reader)	2
RS485 /OSDP Reader support	✓ (Opt. Out-Reader)	✓
Credentials	12,500	25,000
Access Groups	1,000	1,000
2.5 A Power Supply	✓	✓
Power Source	Plug in Wall Xfmr or POE(option)	Plug in Wall Xfmr
Available Power for Readers (12V) & Strikes Onboard	1.7 A	1.7 A
12V Aux Max. Current	1.6 A	1.6 A
- Door Position	1	2
- Req To Exit	1	2
- Dedicated Fire	1	1
- Aux	1	1
I/O Expansion, supervised	—	48 Added inputs w/ I/O Module
Transaction Buffer	625	1,250
Time Schedules	256	256
On-board Ethernet RJ45	✓	✓
Built in Strike Coil Diode	✓	✓
Overcurrent Protection	✓	✓

## NA-2 Two-Door Access Control Panel

### Intelligent Dual-Door Control, Doubled Capability

- **Credential Capacity:** 25,000 - 35,800 cardholders
- **Readers:** 2 Wiegand or OSDP reader
- **Inputs: Door position, 2 REX, 1 Dedicated Fire, 1 Aux.**
- **Onboard Relays:** 2 Door Relay@ 2A, 1 Console Relay @ 5A, 2 Wiegand Readers
- Onboard Ethernet
- **Transaction Buffer:** 1250 events
- **Time Schedules:** 256
- **Access Groups:** 1,000
- Built-in relay contact overvoltage protection
- **Expandability:** Up to **3 I/O expansion boards** (48 additional inputs & 48 relays)
- **4Hr. Battery Backup** - 12V 4Ah Sealed-Lead Acid Battery (sold separately) for 4hrs standby power with max reader load
- **ETL Listed UL294**



**Delivers true controller continuity, more built-in capabilities — no node, no degraded offline mode, no feature shutdowns, & lower total cost**

## Readers & Credentials:

The MVP Cloud Access System & Napco Access Panels support a wide variety of today's credential technologies & readers of all kinds, i.e., OSDP, NFC, Bluetooth (BLE) & more, ensuring application flexibility, ease & longevity. For more see hardware specifications & "Ordering Information" section.

# Cloud-Ready Wireless Locks

## Wireless Locks & Multi-Lock Gateways: Top-Rated Napco Wireless Access Locks Avoid Service Calls. Quick Installation

- **All Doors inside & out.** All Architectural Trims & Finishes
- **One Flat By-Door Monthly Service Plan for a couple to thousands of door.** No Customer Account Fee
- **Wireless Locks with built-in readers, easy installation, class-leading battery life and low maintenance**
- **Alarm Lock Trilogy® Networkx or Designer ArchiTech Wireless PIN/Prox locks for any entry door or exit inside or out** (including #NetPanel, ideal for wireless gate control (interior/exterior))
- **Marks Interconnected Keyless Deadbolt Locks (no mortising)**
- **Cylindrical, Mortise, Deadbolt, Exit Trim, Wood, Metal, Glass Doors**
- **Use Multi-Lock Gateways** (as many as 63 locks, depending on location) in 80211 POE or Hardwire/Wireless models, Cloud-Ready
- **Bluetooth, Mobile, NFC, HID Prox and iClass & MiFare Support**
- **MVP Scan2Enroll** phone-camera & QR scan method for auto-enrolling hardware with MVP EZ App



## Alarm Lock™ Trilogy Networkx® Wireless Locks

- Wireless & Keyless Networked Electronic Access Locks
- BLE, Prox & MiFare credentials
- Award-winning low-maintenance
- Use inside & out (all weatherproof); common-usage models for all kinds of doors, wood, metal, glass, exit, panic exit and entry, virtually all with REX & door-position-monitoring (see model list in Ordering Info.)
- Numerous finishes and IC core prep available
- Global lockdown in seconds
- The Proven choice ideal for classrooms & commercial spaces
- Unbeatably Rugged All-Metal Keypad or New TT-Series Touchscreen Backlit Sleek Styles too.



## Networkx NetPanel 2-Door Access Controller

- This versatile 2-door access solution is designed for indoor or outdoor use including parking gates.
- Supporting two doors with flexible Trilogy Networkx Keypad or Wiegand reader configurations, it delivers reliable control of electric strikes or mag locks when authorized PINs or credentials are presented.
- Networked communications allow user management, schedules, and audit trails to be updated remotely—saving time, labor, and service calls.
- Easy-to-deploy access control option with integrated power supply, relay outputs, and inputs for door position and remote release, make installation straightforward for both new and retrofit projects.



## ArchiTech® Trilogy Networkx Designer Series Wireless Locks

- Architectural Design Meets Advanced Wireless Access Control—Built on proven Alarm Lock Trilogy® Networkx electronics for reliable wireless access control performance
- Multi-technology reader support including Bluetooth® mobile credentials, Prox, Smart Card (MIFARE), & PIN in a single lock
- Fully compatible w/ MVP Access & MVP EZ platforms for credential management, scheduling, wireless updates, & audit trails
- Designer-grade hardware from Marks USA, offering hundreds of architectural trims, lever styles, roses, & finishes
- Available in mortise or cylindrical models to suit virtually any door, décor, or application
- Ideal for new construction or retrofit projects, with electronics that can be surface-mounted or mortised into the door
- Wireless Networkx technology enables remote programming, updates, & monitoring without door-to-panel wiring



## Marks Smart Interconnected Wireless Deadbolts

- BLE, Prox & MiFare credentials
- Pickproof security - No keys, no cylinders
- One-motion egress
- Deadbolt security without the labor of mortise door prep
- Customizable reader range for balancing security and convenience in any application
- Hundreds of architectural finishes and lever styles available
- ADA & UL Compliant
- Ideal for Multifamily / MDU applications
- Also available with MVP-Local link option (non-subscription/card-based - option).



# Multi-Lock Gateways



## MVP-IM3-80211 Wireless & Wired Multi-Lock Gateway

- Connects Trilogy® Networkx, Marks® & ArchiTech® wireless locks to the MVP cloud platform; supports as many as 63 locks per gateway (varies with locations)
- Offers Ethernet or wireless 802.11 networking, ideal for retrofits or limited network access locations
- Secure system communications with 128-bit AES encryption and IEEE 802.11 protection
- 900 MHz wireless radio provides up to 100 ft clear-field range, extendable with IME2 Expanders (Note- Range is dependent on building construction, layout & other networks on site)
- Powered by included UL-listed Class 2 AC transformer—no PoE required
- Fast setup using Scan2Enroll™ via the MVP EZ App—scan the QR code to auto-enroll

*Best choice when PoE isn't available—ideal for retrofits, remote locations, or fast installs.*



## MVP-IM3-POE Multi-Lock Power-over-Ethernet Gateway

- Connects Trilogy® Networkx, Marks® & ArchiTech® wireless locks to MVP supports as many as 63 locks per gateway (varies with locations)
- Single-cable PoE operation simplifies installation and eliminates local power supplies
- Long-range 900 MHz wireless coverage up to 100 ft clear-field, expandable with IME2 expanders (Note- Range is dependent on building construction, layout & other networks on site)
- Enables offline pre-configuration from a PC or smart device before installation
- Quick system enrollment using Scan2Enroll™ with the MVP EZ App
- Designed for professional networks using standard Ethernet protocols (TCP/IP, DHCP)

*Ideal for structured network environments where clean, single-cable PoE installs save time and labor.*



## AL-IME2-EXP Gateway Coverage Expander

Extends coverage from Gateways to Trilogy Networkx or Marks Wireless Locks within a PC network, allowing greater distances. Ceiling/Wall Mount.



## AL-IME2-PIE Plug-in Expander

*As above, this AC Plug-In Expander extends the coverage area*



*Also see optional Gateway Site Tool & Simulator (in Ordering Info.)*

# Napco MVP Platform Access Control as a Service Comparison



	<b>MVP EZ</b>	<b>MVP Access</b>
<b>Designed for</b>	Locksmiths + Dealers	Integrators
<b>System Operation</b>	Easy Phone App	Remote Computer/Browser at either Dealer's/Integrator's office or "hybrid" of remote computer and on-site browser (also supported)
<b>Benefits</b>	New Convenient Customer Services performed remotely for incremental revenue beyond the installation	Secure Integrated Cloud-Services sought after by today's commercial accounts & Security Directors (SOC 2 cybersecurity via Napco NOC)
<b>Kinds of Accounts Applications</b>	New Small/Medium Businesses	<b>New or System Upgrades for</b> Commercial businesses, Campuses, Schools, Universities
<b>Kinds of Hardware: Wireless Locks; Hardwired Panels Supported</b>	Wireless Alarm Lock Network Locks & Alarm Lock/Marks ArchiTech Locks, Smart Deadbolts, Gateways and Wired Napco NA-Series Access Panels 1-2 doors, (sold thru Distribution)	Wired Continental Enterprise CA- Series Panels, 1-16 doors, Napco Access NA-Series Access Panels 1-2 Doors & Wireless Alarm Lock/Marks Network & ArchiTech Locks & Deadbolts & Gateways & Expanders (sold thru NaPro Dealer Program &/or Distribution, model-dependent)
<b>System Configuration, Control &amp; Command</b>	MVP EZ APP: Configure, Command & Control system of doors, all from a smartphone Choice of easy presets, scan devices into system w/ QR codes	Dealer creates a custom configured integrated access system setting parameters & number of doors, all setup and managed from any remote location via web-client, control remotely from same, & from MVP Access Pro App & optional MVP Access Admin limited version for account admins
<b>Cost</b>	Low-cost per door, affordable flat-rate	Low-cost per door, affordable flat-rate
<b>Ideal Size of Accounts Doors, Max.</b>	Few/Several Doors and users 50 ea.	Unlimited Users, Ten to Thousands of Doors & Gates (as in Parking areas) 50K+ Enterprise
<b>Users</b>	Badges: 200 max BLE Credentials: 200 max Credentials/Person: 4 max 1 Facility Code, max (or None)	Badges: Unlimited BLE Credentials: Unlimited Multiple Credentials per Person 10 Facility Codes/Panel
<b>Access Groups</b>	8 Access Groups / Account max; 2 Access Groups / Person max	Access Groups / Account 30,000; 16 Access Groups / Person
<b>Time Schedules</b>	4 max	254 / Panel
<b>Card/PIN</b>	Card or PIN only	Card or PIN plus Card & PIN modes + schedules
<b>Event Viewing</b>	By Report	By Grid, Device or Reports
<b>Event Storage</b>	2 Months (Pay in App for Additional)	6 Months (Pay for Additional)
<b>Customization</b>	Choice of presets for easy, quick configuration Limited Schedules, limited holidays and limited credential/ID types including Bluetooth and Napco ID cards.  Lockdown/Unlock App function	Fully customizable for sophisticated accounts: Fully supported schedules, holidays, Prox ID, ie, Mifare/EV1/EV2/EV3 Lockdown/Unlock App function credentials (supporting numerous customer-specific facility codes & formats), Bluetooth, biometric IDs & mobile credentials with Geofencing. Facility floorplan import/pinpoint alerts/alarms w/ video integration & camera control; muster reporting, lockdown by area or globally, anti-passback by area or globally. Customizable Human Resources reporting; custom user Push SMS or Email messaging on emergency conditions in building, or lockdown, threat-level management condition, or simple status.
<b>System Ordering</b>	<b>App-Based Enrollment for "Instant-On". No waiting MVP EZ Trial -</b> (Download App into phone from Apple Store & Google) to Begin Free Trial (later account verification/subscription setup via Customer Service).	Integrator ACaaS (access control as a service), cloud-based, ordered through Napco Comnet site, following 1x Dealer setup.
<b>Ideal Use-Cases</b>		

Small & Medium Businesses, Retail, Medical & Professional Offices, MDUs Short-Term Rentals

Corporate Facilities, Schools, Campuses, Healthcare, Enterprise & Multiple Global Sites

# Why Choose MVP

## One Platform - Delivering Dealer Success from Small Businesses to Enterprise Accounts



1. Serve every size client with one MVP ecosystem, 1 door to thousands; any number of users
2. Predictable margins with one low, flat by-door plan - No Annual Contract
3. Seamless migration path - Grow users, doors & features at any time, leave hardware in place
4. Economical, dependable equipment with low maintenance - Lowest Total Cost of Ownership
5. Native Integrated Software & Hardware from One Source - With the exception of Video - (Choose from several popular brands)
6. Grow revenue as customers scale



## Why Dealers & Locksmiths Win Business Advantages

- Earn on installations plus long-term RMR
- Revenue between projects
- Faster installs, less onsite low-maintenance equipment
- Simpler to demonstrate; Minimal enduser training
- *Matched hardware + software, reduces API Decay issues down the road*

## The Power of Cloud, The Precision of Napco Hardware The NAPCO Difference

- One manufacturer
- Decades of access experience
- One new ecosystem
- One trusted source. to partner with



## Single-Source Advantage All Under One Roof

- Unified Matched Platform Software & Hardware Designed to Work Together
- Panels, locks, software & cloud
- No integration blame game
- Long-term product commitment
- Backed by Napco Award-Winning US Technical Support & Customer Service











# MVP Access Turns Doors into Recurring Revenue –


One affordable low flat-monthly rate by door, and one unified platform that scales from a few to many doors and users, reduces equipment and cost, wins more jobs and builds long-term customer relationships beyond project-based installations.

## Sell Once. Grow Forever.


- More Doors
- More Locations
- More Services
- More Monthly Revenue

## All Doors, All Applications So Many Combinations to Choose from:


<p><b>NA-1 Single Door Access</b> Control Panel, 1 Weigand or OSDP reader.</p> 	<p><b>NA-2 Two Door Access</b> Control Panel, 2 Weigand or OSDP readers.</p> 		
<p><b>Hardwire or Wireless Gateway</b> Connects Trilogy® Networkx, Marks® &amp; ArchiTech® wireless locks to the MVP cloud platform</p> 	<p><b>No AC Power? Just use POE Gateway</b> to Connect Trilogy® Networkx, Marks® &amp; ArchiTech® wireless locks to MVP</p> 		
<p><b>Exterior Doors</b></p> 	<p><b>All Doors; All ID Tech; Max Cybersecurity</b></p> 	<p><b>Fire Exit, Hot Solution</b> ETPDNRX Exit Trim &amp; Marks 9900</p> 	<p><b>Exterior Glass Door</b> Trilogy Narrow Stile or NA1 Panel &amp; Reader</p> 



**Keep the Office Doors & Elevators Accessible Even Offline.** Office Doors with 2 ArchiTech Wireless Locks networked with POE Gateway & NA-1 Panel with Reader for Elevator Control



**Access Control for All Interior & Exterior Doors, Even Gated Parking** Combine Weatherproof MiFare or Prox Wireless Access Deadbolt Locks, for multitenant applications; a Network Panel can also be removed for outdoor parking access.


















**A Hallway of Doors Cost-Effectively Controlled with One Gateway.** Choose any of the wide selection of wireless lock trim and finish options, and use just one Multi-Lock 802.11 Gateway concealed in the ceiling for a clean look (hidden from prying eyes).



**Making Any Grand Entrance Grander & More Convenient to Access with IDs in Phone Wallet** (Similar to that shown on cover.) Here, 2 slim NFC mullion readers sit beside glass doors topped by mag locks, controlled by an NA-Series Panel, supporting NFC, biometrics, Prox, MiFare & Bluetooth


















# Ordering Information



MVP Doors, Flat By-Door Service Rate		
	<b>MVP-EZ APP</b> 	<b>App-Only</b> tool for system setup, config. w/ Scan2Enroll camera entry, command, control & dealer-customizable admin settings for accounts (add users/doors/schedules (10), lockdown & more). Up to 50 users & 200 credentials w/ 1 facility code – seamlessly upgradeable to MVP Access as needs increase. Free Downloadable from Apple/Google App Stores, under "Napco" (See MVP Matrix A886A). <b>Seamlessly scales updates to MVP-Access (below)</b>
	<b>MVP-ACCESS</b> 	<b>Full customizable enterprise access feature set, hybrid or cloud-only, app &amp; remote computer/browser supported.</b> Unlimited users, one to thousands of doors & gates; advanced up to 30K access groups/account or 16/person, 254 time schedules & 10 facility codes per panel, 6 mos event storage. Event viewing by grid, device or reports. Dealer-customizable admin settings for accounts. Free Downloadable App from Apple/Google App Stores, under "Napco" (See MVP Matrix A886A)."
	<b>ILOCK for MVP</b>	Enduser Mobile App - For local Bluetooth Door Access only (Free Downloadable App from Apple/Google App Stores)
	<b>MVP-LOCAL LINK</b>	Enables Bluetooth unlocking and secure data/firmware transfer between MVP Cloud and locks using a smartphone (online or offline - eliminating the need for a Gateway).
Cloud-Ready Access Control Panels		
	<b>NA-1</b>	<b>Napco Access Series MVP Cloud-Ready 1-Door Access Panel</b> , in distribution. MVP Cloud-Ready for EZ or Enterprise Access Platforms, 1 Door, 1 Door Relay @ 2A, 1 Console Relay @ 5A, 1 Wiegand (in-Reader); RS485/OSDP Support (opt. out-Reader); 12,500-17,900 credentials, 1K access groups, 2.5A power supply (plug-in wall Xformer) or opt. 1.0A POE module); 1.7A power available for all accessory devices; 12V AUX output, Wet Relay & Readers, 4 Inputs: 1 Door Position, 1 REX, 1 Dedicated Fire, 1 Aux; 625 Event Transaction Buffer; 256 Time Schedules, Onboard Ethernet RJ45, Built-in relay contact overvoltage protection AES 128-bit encryption. Note- No Extra Onsite Node Required. (See A894 Spec Sheet).
	<b>NA-2</b>	<b>NA-2 Panel - Napco Access Series MVP Cloud-Ready 2-Door Access Panel</b> , in distribution. 2 Door, 2 Door Relay @ 2A, 1 Console Relay @ 5A, 2 Wiegand Readers; RS485/OSDP Support; 25,000-35,800 credentials, 1K access groups, 2.5A power supply (plug-in wall Xformer); 1.7A power available for all accessory devices; 12V AUX output, Wet Relay & Readers, 6 Inputs: 2 Door position, 2 REX, 1 Dedicated Fire, 1 Aux; 1250 Event Transaction Buffer; 256 Time Schedules, Onboard Ethernet, RJ45, Built-in relay contact overvoltage protection. AES 128-bit encryption. Note- No Extra Onsite Node Required. (See A895 Spec Sheet).
	<b>NA1-POEBD1A</b>	<b>1 Amp Plug-in Power Pack</b> accessory
	<b>CA-2</b>	<b>Continental Enterprise MVP Cloud-Ready 2- to 4-Door Access Panel, expandable.</b> 100,000 credentials, 2ea 5-wire, Wiegand output readers. Expandable to 4, 120VAC Input Voltage, built-in Ethernet port, AES 128-bit encryption. Reader Power rated for 12VDC @ 200mA or 5VDC @ 100mA./Reader. Dual OSDP V1/RS485 Reader outputs, 1 dedicated Fire Alarm Input, 5000 Standard transaction buffer. FRAM 512KB Dedicated Transaction Buffer, 16MB On Board Memory, 10/100 Base-T Ethernet (also swichable for non-cloud &/or retrofit w/ C1CP2100 & 2800 panels), <b>See Dealer Program</b> (See A894 Spec Sheet)www.NapcoAccessPro.com (See A876 Spec Sheet). Note- No Extra Onsite Node Required.
Wireless Locks & Multi-Lock Gateways		
	<b>PDL6200/26D</b>	<b>Alarm Lock Trilogy Networkx PIN/Prox Cylindrical Lock, Built in HID Prox</b> , Wireless access control with built-in HID proximity reader, keypad, DPS/REX & interior flashing lockdown indicator. Supports 5,000 users, 500 schedules, audit trail, and long battery life. Weatherproof with standard key override. US26D Satin Chrome. (Numerous models, keying & other cylinder & prep options are also available. See Spec Sheet ALA529C or call).
	<b>MVP-IM3-80211</b>	<b>MVP-Ready, Wired/Wireless Multi-Lock Gateway</b> (supports up to 63 Trilogy Network or Marks Wireless Deadbolts locks) (See A900 Spec Sheet)
	<b>MVP-IM3-POE</b>	<b>MVP-Ready, Power over Ethernet Multi-Lock Gateway</b> (no AC power required) (supports up to 63 Trilogy Network or Marks Wireless Deadbolts locks) (See A899 Spec Sheet)
	<b>AL-NSG</b>	Optional Gateway Simulator Aid
	<b>AL-NSM</b>	Optional Site Survey Tool for Networkx Gateways
	<b>AL-IME2-EXP</b>	<b>Gateway Coverage Expander.</b> Extends coverage from Gateways to Trilogy Networkx or Marks Wireless Locks within a PC network, allowing greater distances. Ceiling/Wall Mount.
	<b>AL-IME2-PIE</b>	<b>Plug-in Expander.</b> As above, this AC Plug-In Expander extends the coverage area

# Ordering Information

## Wireless Locks (continued)

	PTL6200/26D	Trilogy Touch Network Backlit Digital/Prox Network Cylindrical Networked Lock (Sleek touchpad auto-brightens to touch) similar to above. Available in numerous models. See Spec Sheet ALA 553.
	PDL8200	As above, with HID iClass support, similar to above
	PDL6600CRL/26D	Mortise Trilogy Network PIN/Prox, Classroom, Left Handed. Wireless access control lock w/ built in HID proximity ID card reader and Door Position Switch/Request to Exit feature
	PDL6600CRR/26D	Same as above, Right Handed
	PDL8600CRL/26D	Mortise iClass Trilogy Network PIN/Prox, Classroom, Left Handed. Wireless access control lock with built in HID iClass card reader and Door Position Switch/Request to Exit feature
	PDL8600CRR/26D	Same as above, Right Handed
	PDL6300/26D <sup>††</sup>	Cylindrical Trilogy Network double-sided PIN/Prox. wireless access control lock with built in HID proximity ID card reader
	N90T1195F26D	ArchiTech Designer Trilogy Network Cylindrical Prox Lock, with surface mount (rear) electronics, HID oval prox reader, Bluetooth (BLE) support, & separate leverset (American).
	E90TF19526D	As above but with Oval MiFare Reader & Bluetooth (BLE) and Back Box, cylindrical
	NICTF9215	Marks Interconnected Wireless Deadbolt, as above, but MiFare (Note- Deadbolt-Only also available.)
	NICT29215	Marks Interconnected Wireless Deadbolt IC Rectangular, 125kHz Prox (& BLE), US 15 Satin Nickel Finish (shown left)
	NICT29215	Marks Interconnected Wireless Deadbolt IC Rectangular, 125kHz Prox (& BLE), US 15 Satin Nickel Finish (shown left)
	Plus++	Numerous models w/ countless options, trims & architectural finishes, see Spec Sheet A881C
	ETPDNRX	Trilogy Network wireless access lock trim (added to most brands of panic exit bars, Marks 9900, VD, Sargent, Yale, C/R, Arrow, Dorma), features built-in HID prox ID card reader with Request to Exit feature.
	ETPDNIRX	As above, with REX & iClass support.
<b>Optional Credential Accessories</b>		
<b>MiFare Options</b>		
	Mi42-25	MiFare, 42 bit EV3 Cards, 25 pack
	MiK42-10	MiFare, 42 bit keyfobs, 10 pack
	MiC-25	MiFare, Custom Card, EV3, 25 pack (call for custom cards)
	MiK-10	MiFare, 42 bit Custom keyfobs, 10 pack (call for custom cards)
<b>Standard Prox Options</b>		
	CONCP-5	Construction Card Pack (5)
	ALID1326C/25	ProxCard2 25 Pack
	ALID1326	Proximity Access Cards 100 Pack
	KH36-10	Napco Keyfob 125-kHz Proximity, 36-bit, 10pk
<b>NFC Readers &amp; Credentials</b>		
	NAP-NFC-1	NFC Credential for MVP (also for CA4K) (For use on readers below.) (Order on NapcoComnet.com)
	40 20 NA-SIG40PO-NFC	Napco Access HID Signo Standard Format Reader
	NA-SIG20PO-NFC	Napco Access HID Signo Mullion Mount Reader
	40 20 NA-SIG40KPO-NFC	Napco Access HID Signo Standard Reader with Keypad
	NA-SIG20KPO-NFC	Napco Access HID Signo Mullion Mount Reader with Keypad
		(For more compatible styles, contact Napco.)
<b>MiFare, Prox &amp; Optional Hardwired Access System Accessories</b>		
	R-PH	125kHz Napco Proximity Reader. Single-Gang/Mullion Mount (Also available with Bluetooth, add suffix "B")
	R-MI	13.56MHz Napco MiFare Reader, as above, Single-Gang/Mullion Mount (Also available with Bluetooth, add suffix "B")
	500 300 NA-300HA	ALPS Single Gang Prox Reader
	NA-500HA	Cascade Mullion Mount Prox Keypad/Reader
	640 620 CICRP-640HAB	Single Gang Proximity Reader & Keypad
	CICRP-620HAB	Mullion Mount Proximity Reader & Keypad
<b>Other Accessories</b>		
	KEDSW264	3/4" Recessed Door Position Switch & magnet with connector
	RR-1BUTTON	Wireless - Single Button remote release for Locks
	RR-4BUTTON	Wireless 4 Button remote release for Locks

# Why Security Pros Win with MVP Cloud Access Control



## Business Advantages

- Earn on system setup + installation, plus long-term RMR from cloud subscriptions
- Keep incoming revenue between jobs, spans sales cycles
- Fewer service calls/truck rolls — handle updates, user changes, and troubleshooting remotely
- Faster installs with no PC servers, no complex integrations, and minimal end-user training
- Integrated matched hardware + software for smoother operation
- Be Customers' Go-To Source for all Access & Security Needs

## MVP Cloud Advantages

- Manage everything from a phone — no on-site servers or IT delays
- System stays automatically updated and secure, with no aging hardware or OS limitations
- Scales effortlessly from a few doors and users to thousands
- Easy to expand or upsell: add doors, sites, or features instantly without hardware swaps
- Backed by NAPCO's long warranty, often with simple distributor OTC exchange

## Painpoints Avoided vs. Traditional Systems

- Avoid Expensive server infrastructure and specialized installation labor
- Avoid Hardware Debt & OS that become too old to update
- Reduce truck rolls for updates, i.e., manual credential onboarding, and manual firmware updates
- No disruptive upgrade cycles that require retraining staff and technicians
- Legacy system components vulnerable to cyber risks due to unsupported firmware and software



How to Sign Up as a Dealer



How to Register an MVP Account



Dealer/Integrator Video



Locking Pro Video

MVP, Trilogy Network, Alarm Lock, Marks, ArchiTech, MVP Scan2Enroll are trademarks of NAPCO. Other marks are trademarks of their respective companies.†† Note: No real-time door status is available from lock models without a Door Position Switch feature (depending on application, alternate means, such as adding a contact switch, may be used.) Note: Integrated Lock Options vary by System/Application, please consult Tech Docs. ‡Trilogy Network have class-leading long battery life, of 3 or more years, typ., however actual span is dependent on operation frequency, programming & credential types. Also actual Multi-Lock Gateway range varies and is subject to building construction, operations & other networks present, etc.) Preliminary Specifications Subject to Change without Prior Notice. Pls consult technical documentation per model." Mar 2026. © NAPCO A921